



OUTSWING Vault Door by Liberty Safe

Shown: Right Hinge Outswing



Front

4 Piece Clamshell Design




Back



All information contained on this document is the sole property of Liberty Safe & Security. Any alteration or reproduction by any method is strictly forbidden without written authorization from Liberty Safe & Security, Inc.	DRAWN	NAME	DATE	LIBERTY SAFE & SECURITY PRODUCTS
	CHECKED	ryand	06/04/19	
	ENG APPR			TITLE
	MGR APPR			OUTSWING VAULT
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES ANGLES ±1.0° 2 PL ±0.02 3 PL ±0.010			SIZE D
	FILE NAME: VDOUT-XXX-18F_Specs_2018-11-15.dft			Rev_2018-06-01
	SCALE: 1:2	WEIGHT:	SHEET 1 OF 5	

Clearances

Shown: Right Hinge Outswing
 Clearances are the same for Left Hinge Outswing




All information contained on this document is the sole property of Liberty Safe & Security.			LIBERTY SAFE & SECURITY PRODUCTS	
DRAWN	NAME	DATE	TITLE	
CHECKED	ryand	06/04/19	OUTSWING VAULT	
ENG APPR			Rev_2018-06-01	
MGR APPR			FILE NAME: VDOUT-XXX-18F_Specs_2018-11-15.dft	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES ANGLES ±1.0° 2 PL ±0.02 3 PL ±0.010			SCALE: 1:8	WEIGHT: SHEET 2 OF 5

Front and Back Frame Dimensions


Shown: Right Hinge Outswing

Dimensions are the same for Left Hinge Outswing

This shows the amount of space that the vault door will use on the wall.



Face Frame
(Front)



Back Frame
(Back)




All information contained on this document is the sole property of Liberty Safe & Security. Any alteration or reproduction by any method is strictly forbidden without written authorization from Liberty Safe & Security, Inc.	NAME	DATE	LIBERTY SAFE & SECURITY PRODUCTS TITLE OUTSWING VAULT SIZE D Rev_2018-06-01 FILE NAME: VDOUT-XXX-18F_Specs_2018-11-15.dft SCALE: 1:8 WEIGHT: SHEET 3 OF 5	
	DRAWN	ryand		06/04/19
	CHECKED			
	ENG APPR			
MGR APPR				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES ANGLES ±1.0° 2 PL ±0.02 3 PL ±0.010				


Walk Through Clearances

Shown: Right Hinge Outswing

Dimensions are the same for Left Hinge Outswing



Door allowed to open at 90°




Door allowed to open at 180°



All information contained on this document is the sole property of Liberty Safe & Security. Any alteration or reproduction by any method is strictly forbidden without written authorization from Liberty Safe & Security, Inc.	NAME	DATE	LIBERTY SAFE & SECURITY PRODUCTS	
	DRAWN	ryand		06/04/19
	CHECKED			TITLE
	ENG APPR			OUTSWING VAULT
	MGR APPR			SIZE
				D
				Rev_2018-06-01
				FILE NAME: VDOUT-XXX-18F_Specs_2018-11-15.dft
				SCALE: 1:8
				WEIGHT:
				SHEET 4 OF 5
				UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES ANGLES ±1.0° 2 PL ±0.02 3 PL ±0.010

Opening Requirements

Shown: typical rough opening for a normal 36" wide x 80" tall door in a foundation wall



The OUTSWING vault door will accommodate any opening that is between:

37" -42" wide x 81" -85" tall

These values may vary slightly based on the squareness of the opening.

Treated lumber is often secured to the concrete so that a door may be fastened to the opening. This may be cut or modified as needed.

Top of floor



All information contained on this document is the sole property of Liberty Safe & Security. Any alteration or reproduction by any method is strictly forbidden without written authorization from Liberty Safe & Security, Inc.	DRAWN	NAME	DATE	LIBERTY SAFE & SECURITY PRODUCTS
	CHECKED	ryand	06/04/19	
	ENG APPR			TITLE
	MGR APPR			OUTSWING VAULT
			UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES ANGLES ±1.0° 2 PL ±0.02 3 PL ±0.010	SIZE D
				Rev_2018-06-01
				FILE NAME: VDOUT-XXX-18F_Specs_2018-11-15.dft
				SCALE: 6.67 WEIGHT: SHEET 5 OF 5